

Resin Bonded Cartridges

F & P Series for chemical applications, high temperature, viscous solutions, paint & ink



- AMBF's Resin Bonded elements have a retention rating from **.5 to 150 microns**
- Elements are produced **with or without a core** depending on your application
- All elements are designed using **various glass fiber sizes** and controlled **gradient densities** for various micron ratings, lower replacement cycles, **optimum filtration efficiencies** and consistent performance
- **Optional outer covers** aid in the handling and protects the grooved surface
- Optional core materials enable a range of **up to 100 psid**
- Elements are produced with a **grooved surface which offers increased surface area and dirt holding capacity**
- Low differential Pressure & **Extended Cartridge life**
- AMBF's resin bonded cartridges are **manufactured in the USA**
- With optional metal cores, temperatures **can reach 295°F**

***Please call with all of your applications
(219) 866-3500***

Product Specifications	
F Series Resin bonded fiberglass cartridge designed to effectively remove solids, gels, and other deformable contaminants from most industrial liquids. Do not use in water applications.	P Series Resin bonded fiberglass cartridge designed to effectively remove solids, gels, and other deformable contaminants for full batch runs at high differential pressures. Do not use in water applications.
Applications	
F Series Solvents & Thinners Glycols/ Coolants/ Refrigerants Fuels Oils Synthetic Fluids	P Series Paints Inks Varnish

Building a Part Number

F Series

MODEL NUMBER	OUTER COVER	MICRON		CARTRIDGE LENGTH		CORE MATERIAL	OPTIONS
F	C	3		2		E	1
F	C = Cotton P = Poly Blend NS = No Sock	.5 1 3 5 10	25 50 75 100 150	1 = 4.75 2 = 9.75 3 = 10 35 = 12 4 = 19.5	5 = 20 62 = 29.75 7 = 30 9 = 40 C = Custom	T = Tinned Steel HT = Heavy Tinned Steel E = Polypropylene 4 = 304 SS 6 = 316 SS N = None	1 = Migration Barrier

P Series

MODEL NUMBER	OUTER COVER	MICRON		CARTRIDGE LENGTH		CORE MATERIAL	OPTIONS
P	C	10		2		E	1
P	C = Cotton P = Poly Blend NS = No Sock	10 25 75		2 = 9.75 3 = 10 4 = 19.5 5 = 20	62 = 29.75 7 = 30 9 = 40 C = Custom	HT = Heavy Tinned Steel E = Polypropylene	1 = Migration Barrier

1030 E. Elm Street Rensselaer, IN 47978
PH (219) 866-3500 FAX (219) 866-3570

Visit AMBF's website for all of your filtration needs!
www.AmericanMeltBlown.com

